

PERFORMANCE BULLETIN

Boat Manufactured By:



199 Extrusion Place • Hot Springs, AR (501) 262-5300

www.xpressboats.com

XPRESS X23 BAY

Length	23' 0"
Beam	8' 6"
Dry Weight (Boat Mfr. Pub)	2,296 lbs
Maximum HP	300 hp
Fuel Capacity	75 gal
Weight as Tested	4,454 lbs

F150XB / LF150XB

Horsepower	150 hp
Induction	EFI
Displacement	2.8L
Weight (Estimated)	489 lbs
Gear Ratio	2.00:1

ENGINE MOUNTING HEIGHT

Mounting Hole Position #4

PROPELLER(S)

Series	Saltwater Series II™
Diameter x Pitch	14-3/4 x 23
Yamaha Part #	6CE-45974-20-00 / 6CF-45974-20-00
Propeller Material	Polished Stainless Steel

TEST CONDITIONS

Number of People	2
Air / Water Temperature	95° F / 84° F
(Fahrenheit)	33 17 64 1
Elevation (in feet above sea level)	577'
Wind Velocity	0-5 MPH

COMMENTS

Test weight includes 75 gallons of fuel, 4 batteries, 36 volt trolling motor, battery charger, hydraulic jackplate, safety and test equipment.

YPB#: PB_XPR_X23BAY_TW_F150XB_08-02-20_BAY



Engine: Yamaha F150XB / LF150XB

Boat: Xpress X23 Bay Configuration: Twin Test Date: 1-Aug-2020



PERFORMANCE DATA

		45.70	codility (
RPM	МРН	GPH	MPG
1000	5.5	1.8	3.14
1500	7.7	3.0	2.56
2000	10.5	5.9	1.79
2500	24.3	6.7	3.61
3000	31.8	8.7	3.65
3500	36.9	12.0	3.08
4000	42.9	14.8	2.89
4500	48.1	19.3	2.50
5000	53.7	23.0	2.33
5500	59.0	31.6	1.87
6000	60.0	31.7	1.88

Time to Plane: 4.04 seconds

0-20 MPH: 5.17 seconds

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and a operator ability. Please confirm the specifications and performance data or pour specific boadverging combination with your beater professions. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.