

Boat Manufactured By:



199 Extrusion Place • Hot Springs, AR
(501) 262-5300

www.xpressboats.com

57 - Xpress X19 Pro

XPRESS X19 PRO

Length	19' 0"
Beam	7' 11"
Dry Weight (Boat Mfr. Pub)	1,390 lbs
Maximum HP	200 hp
Fuel Capacity	45 gal
Weight as Tested	2,427 lbs

VF175LA

Horsepower	175 hp
Induction	EFI/VCT/DOHC
Displacement	2.8 L
Weight (Estimated)	480 lbs
Gear Ratio	1.86 : 1

ENGINE MOUNTING HEIGHT

Mounting Hole Position	#3
------------------------	----

PROPELLER(S)

Series	V-MAX SHO
Diameter x Pitch	15 1/8 x 22
Yamaha Part #	6CB-45932-11-00
Propeller Material	Polished Stainless Steel

TEST CONDITIONS

Number of People	2
Air / Water Temperature (Fahrenheit)	94° F / 86° F
Elevation (in feet above sea level)	413'
Wind Velocity	0-5 MPH

COMMENTS

Test weight includes 22 gallons of fuel, 1 battery, 24 volt trolling motor, 10" manual Jackplate, safety, and test equipment

YPB#: PB_XPR_X19PRO_VF175LA_07-30-19_ALM

Engine: Yamaha VF175LA

Boat: Xpress X19 Pro

Configuration: Single

Test Date: 30-Jul-2019



PERFORMANCE DATA

RPM	MPH	GPH	MPG
1000	5.2	0.8	6.5
1500	7.2	1.6	4.5
2000	14.5	2.4	6.04
2500	24.2	3.2	7.56
3000	30.8	4.3	7.16
3500	36.3	5.8	6.25
4000	41.8	8.2	5.09
4500	47.5	9.3	5.11
5000	52.6	12.7	4.14
5500	58.5	16.8	3.49
5800	60.3	18.1	3.33
0-30 MPH: 5.91 seconds			

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance Bulletin may or may not have been performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.