

PERFORMANCE BULLETIN



www.xpressboats.com

XPRESS SW 20 B

Length	20' 0"
Beam	7' 11"
Dry Weight (Boat Mfr. Pub)	1,436 lbs
Maximum HP	115 hp
Fuel Capacity	28 gal
Weight as Tested	2,677 lbs

VF115LA

Horsepower	115 hp
Induction	EFI/DOHC
Displacement	1.8L
Weight (Estimated)	377 lbs
Gear Ratio	2.15:1

ENGINE MOUNTING HEIGHT

Mounting Hole Position #2

PROPELLER(S)

Series	Talon SS
Diameter x Pitch	13-1/4 x 14
Yamaha Part #	6N6-45B70-00-00
Propeller Material	Polished Stainless Steel

TEST CONDITIONS

Number of People	2
Air / Water Temperature	65° F / 57° F
(Fahrenheit)	05 17 57 1
Elevation (in feet above sea level)	300'
Wind Velocity	5-10 MPH

COMMENTS

Test weight includes 28 gallons of fuel, 3 batteries, 24 volt trolling motor, onboard charger, safety and test equipment.

YPB#: PB_XPR_SW20B_VF115LA_ALM__04-08-2022BAY



Engine: Yamaha VF115LA

Boat: Xpress SW 20 B

Configuration: Single

Test Date: 7-Apr-2022



PERFORMANCE DATA

RPM	МРН	GPH	MPG
1000	2.5	0.6	4.55
1500	5.1	0.9	6.00
2000	6.8	1.3	5.40
2500	8.9	1.9	4.68
3000	15.4	2.6	6.02
3500	20.0	3.3	6.15
4000	24.5	4.2	5.82
4500	27.8	5.4	5.20
5000	30.9	7.4	4.17
5500	32.9	9.7	3.40
6000	36.5	12.2	2.99
6200	37.8	12.4	3.04
0-20 MPH: 3.65 se	econds		

NOTICE TO CONSUMER

NOTICE TO CONSUMER

The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boats actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/regine combination with your dealer prior to purchase. Please also keep in mind that the data contained in this Performance data on your specific abordance performed using Yamaha PowerMatched components. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to their companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement.